


FUMA



[www.corpoasia.net](http://www.corpoasia.net)






# FM-9000-MD 高速电脑直驱平缝机系列

## High-speed Lockstitch Sewing Maching With Auto-trimmer Series



- 本机配备了最贴合机头的小型马达，因此耗电少，经济实用。
- 在滑块部分使用了特殊表面处理方法，成功去除针杆与挑线装置周围的机油，实现无油污的清洁缝纫。
- 送布装置，针杆和挑线装置的最佳设计使织物线迹美观漂亮，由伺服马达控制的送布装置实现了精确缝，因此可提供高质量的缝纫产品。
- The machine is equipped with the most laminating small motor, so the helicopter less power, economic and practical.
- Use the slider part in special surface treatment methods, successful removal needle bar and pickline device, the realization airless around the oil pollution clean sewing.
- Send cloth device, needle bar and pick the best design makes line device fabric line mark beautiful and beautiful, servo motor control by the send cloth device realized the accurate seam, therefore can offer high quality sewing products.



不锈钢面板

FM-9000-MD	DP*5 11#-18#	1	0-5	5-13	★	★	★	★	★	★	★	4000	715*310*658	41/4
FM-9000-MD (不锈钢)	DP*5 11#-18#	1	0-5	5-13	★	★	★	★	★	★	★	4000	715*310*658	41/4



## FM-8800-MD 高速电脑直驱平缝机系列 High-speed Lockstitch Sewing Maching With Auto-trimmer Series



- 本机配备了最贴合机头的小型马达，因此耗电少，经济实用。
- 在滑块部分使用了特殊表面处理方法，成功去除针杆与挑线装置周围的机油，实现无油污的清洁缝纫。
- 送布装置，针杆和挑线装置的最佳设计使织物线迹美观漂亮，由伺服马达控制的送布装置实现了精确缝，因此可提供高质量的缝纫产品。
- The machine is equipped with the most laminating small motor, so the helicopter less power, economic and practical.
- Use the slider part in special surface treatment methods, successful removal needle bar and pick line device, the realization airless around the oil pollution clean sewing.
- Send cloth device, needle bar and pick the best design makes line device fabric line mark beautiful and beautiful, servo motor control by the send cloth device realized the accurate seam, therefore can offer high quality sewing products.





FM-8800-MD DP\*1 9#-18# 1 0-5 5.5-15 ★ ★ ★ ★ ★ ★ 5000 715\*310\*658 49/51



# FM-7200 高速电脑直驱平缝机系列

High-speed Lockstitch Sewing Maching With Auto-trimmer Series



不锈钢面板

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

FM-7200	DB*11-18#	1	0-4	5.5-13	★	★	★	★	★	★	★	5000	575X250X540	25.5/35.5
---------	-----------	---	-----	--------	---	---	---	---	---	---	---	------	-------------	-----------



## FM-8700 高速直驱平缝机系列 High-speed Lockstitch Sewing Maching Series



- 采用国际最流行的款式，机电一体化、各项功能由电脑控制，噪音小、振动低、全自动润滑系统，适用于中、厚料缝纫。具有“加固缝”“切线”等功能。采用连杆送料及倒送料距可调机构，最大限度减少了高低速、倒顺缝纫时的针距误差。
- Adopt international is the most popular style, electromechanical integration, various functions by computer control, low noise, vibration is low, the automatic lubrication system, suitable for medium, thick sewing. With "reinforced seams" "tangent" wait for a function. Feeding and fall by connecting rod from adjustable body feeding, minimize the high low-speed, pour the stitch errors when sewing.

FM-8700	DB*1 11→18#	1	0-4	5.5-13	★	★	★	★	★	★	★	5000	580*250*530	33/34.5





# FM-6150-M 高速平缝机系列

## High-speed Lockstitch Sewing Machine Series










- 该机型既有美观新颖的外形和高品质的内部结构。采用新型的挑线杆及润滑系统噪音小、震动低、缝纫的适用性广、耐久性强。

- Novel outline and high quality struture inside. With new pattern thread take-UP lever and lubricating system. Low noise and libration. Broad applicability and better durability.



不锈钢面板

		 S.p.m.				 mm	 W	 mm	 Kg
FM-6150-M	中厚料 Medium-heavy	5000	DP*1 14#(9#-18#)	1	5	5.5-1.3	370	575X250X550	25.5/34
FM-6150-M (不锈钢)	中厚料 Medium-heavy	5000	DP*1 14#(9#-18#)	1	5	5.5-1.3	370	575X250X550	25.5/34



## FM-5200 高速带刀平缝机系列

### High-speed Lockstitch Sewing Machine With Side Cutter Series



- 高速高效、线迹美观、切边平整，使缝纫和修边工序一次完成、适用缝制各种衬衫、西服等，特别是衣领、前襟等部位，此机可同步完成缝制和修边，缝制时通过简单的操作即可使切刀脱离或进入工作状态，机器转动时就会精巧的修边。
- High-speed, high-efficiency, beautiful stitch nest and even edge-cutting, sewing and edge-making can be completed wonderfully. Suitable for sewing various shirts, especially for collar, front of garment etc; This device can finish sewing and edge-cutting simultaneously and the edge cutter can be engaged or disengaged simply while sewing.



FM-5200



1



S. p. m.

5500



5



Midium



W

370



mm

5.0-13



DBX1 9#-18#



mm

600x230x550



Kg

38/35
















# FM-3800 高速链缝机系列

## Needle High Speed Chain Stitch Sewing Machine Series



- 该机造型稳定美观，操作空间大。采用针杆挑线、弯针勾线，形成三针线迹，线迹美观挺直，富有弹性。适用于不同缝线和面料的缝纫作业，如中平布，卡其布和牛仔布料等，缝纫效果好，并配备各种规格的尺寸针位产品可供选择。
- The stable operation, beautiful modelling of large space. Using needles. Pole pick line, looper cancels the line, form three pin, Straight, lines and elastic. Applies not, With suture and fabnics, such as sewing operations in flat cloth, Khaki cloth etc, sewing and cowboy, good effect, Equipped with various specifications and the, size of the goods for a needle Choose.




				 mm						 S. p. m.	 mm
FM-3800-1	TVX7	1	2	5.5-10	1	★	★	★	4	4500	665x250x486
FM-3800-2	TVX7	2	4	5.5-10	2		★	★	4	4500	665x250x486
FM-3800-3	TVX7	3	6	5.5-10	3		★	★	4	4000	665x250x486



## FM-737/747/757 超高速包缝机系列 Super High-speed Over Lock Sewing Machine Series



- 本系列机型适用于各种薄料、中厚料织物的包边或包缝作业，由于采用自动润滑装置，运转畅顺自如，缝纫张力低，在高速时也能缝出稳定漂亮的线迹。
- Applicable to the over edging operation of thin, moderate and thick fabrics. Due to its automatic lubricating device, the machine operates perfectly and smoothly at low sewing tension, and perfect stable stitches even at high speed seaming.




FM737FJ	适用于针织布、梭织布的拷边和缝合 Applicable to overedging and over locking for knitting.	DCX27 9#	3	/	4	3.6	5.5	6000	470X330X480	26.5/34.5			
FM737F-BK	适用于内裤两侧、T恤袖口等倒回缝用 Applicable to backward seam for underwear side and shirt sleeve edge.	DCX27 9#	3	/	4	3.6	5.5	6000	470X330X480	26.5/34.5			
FM737F-B	适用于手帕、头巾、袜子等 Applicable to handkerchief, coil and stocking.	DCX27 9#	3	/	1.5	3.6	5.5	6000	470X330X480	26.5/34.5			
FM737F-LFC-2	此机型专为缝制松紧带用，如泳衣、内衣等 Applicable to elastic cord seam, such as swimsuit, material.	DCX27 9#	3	/	4	3.6	/	6500	470X330X480	26.5/34.5			
FM747-J	适用于针织布、泳衣、厚料布的缝制 Applicable to knitting, swimsuit and moderate material.	DCX27 11#	4	2	4	3.6	6	6000	470X330X480	26.5/34.5			
FM747F-BK	适用于内裤两侧、T恤袖口等倒回缝用 Applicable to backward seam for underwear side and shirt sleeve edge.	DCX27 11#	4	2	3	3.6	5.5	6000	470X330X480	26.5/34.5			
FM747F-LFC-2	此机型专为缝制松紧带用，如泳衣、内衣等 Applicable to elastic cord seam, such as swimsuit, material.	DCX27 11#	4	2	4	3.6	5.5	5500	470X330X480	26.5/34.5			
FM757F-J	适用于衬衫、西装等安全缝作业 Applicable to shirts, trousers.	DCX27 14#	5	3	5	3.6	6	5500	470X330X480	26.5/34.5			
FM757F-BK	适用于内裤两侧、T恤袖口等倒回缝用 Applicable to backward seam for underwear side and shirt sleeve edge.	DCX27 14#	5	5	5	3.6	5.5	5500	470X330X480	26.5/34.5			
FM757F-H	适用于牛仔褲、牛仔服装等厚衣料缝用 Applicable to jeans and other thick material	DCX27 18#	5	5	6	5.0	5.5	5500	470X330X480	26.5/34.5			




# FM-700-3/4/5 超高速包缝机系列

## Super High-speed Over lock Sewing Machine Series




- FM700超高速包缝机系列产品，采用国际最先进的技术，最新的设计，造型美观大方；它适用于针织服装、内衣、鞋、T恤衫、丝绸、化纤的接头包缝、包边等多种缝纫作业，是一种物美价廉的高档缝纫设备；增加了滤油器装置，使本机性能更加稳定。
- FM700 super high-speed over lock sewing machine adopts the world advanced technology, the latest design which has an excellent look. It is suitable for over egging and over locking on suitcases under wears shoes. T-shirts silks chemical fibrs etc. It has a fine appearance with competitive price.



Icon: Sewing Machine	Icon: Needle	Icon: Needle	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm	Icon: Needle/mm
Model	Needle	Needle	mm	mm	mm	mm	mm	mm	S.p.m.	mm	mm	
FM-700-3	DPX27 11#	1	5.5	/	3	4	0.3-3.8	0.7-1.7	7000	450x350x480	24	
FM-700-3/VT	DPX27 11#	1	5.5	/	3	1.5	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-3-180	DPX27 9#	1	5.5	/	3	4	0.5-3.8	0.7-1.7	7000	450x350x480	24	
FM-700-4	DPX27 11#	2	5.5	2	4	4	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-4H	DPX27 11#	2	5.5	2	4	4	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-4/KS	DPX27 11#	2	5.5	2	4	4	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-4/BF	DPX27 14#	2	5.5	3	5	4	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-5	DPX27 14#	2	5.5	3	5	4	0.5-3.8	1-2.8	5000	450x350x480	24	
FM-700-5H	DPX27 14#	2	5.5	5	5	5	0.5-3.8	0.7-1.7	6500	450x350x480	24	
FM-700-5/GA	DPX27 14#	2	5.5	5	4	-	0.5-3.8	0.7-1.7	5000	450x350x480	24	



## FM-800-3/4/5超高速包缝机系列 Super High-speed Over Lock Sewing Machine Series













● 该机采用针棒散热，低震动，低噪音的最新处理技术，转速能长期保持在5000r/min，满足了市场高效生产力的要求，是一款物美价廉、性价比最高的缝制机型。加装伺服直驱电机，凭借精确的停针与简单化的结构，人性化的操作，开拓了广阔的市场，取代了离合式电机及外挂电机。且有以下优点：

- 1.精美的电控箱可使本机器速度调节方便。
- 2.加装辅助件可自动剪线，自动抬压脚。
- 3.可以保证机器在任何时候都停在上针位。与普通机器相比，具有高效节能，环保，省电60%~70%，且低噪音、低震动、体积小、操作简便、维修简易、外观优美、刹车平稳、使用方便等优点。

● The machine USES needle bar radiator, low vibration, low noise, the latest processing technology can keep for a long time in speed 5000r/min, satisfy the market efficiency productivity request, is a valuable beauty cheap, and the highest cost-effective sewing machine. Add servo directly driving motor, with precise stop the structure of simplicity with a needle, humanized operate, pioneering the wide market, replaced the clutch type motor and motor plug-in. And has the following advantages:

1. Elegant body can make the machine speed convenient adjustment.
2. Adding auxiliary parts can be automatically cut the line, automatic lift presser foot.
3. Can guarantee the machine at any time in the needle position. Stop Compared with ordinary machine, is energy efficient, environmental protection, save electricity 60-70%, and low noise and low vibration, small volume, convenient operation, maintenance of simple and easy, beautiful appearance, brakes smoothly, use convenient, etc.



			 mm						 S.p.m.	 mm	 Kg
FM-800-3	DC*27 9#	1	5.5	/	3	4	3.8	0.7-1.7	7000	450*350*470	33/35
FM-800-4	DC*27 11#	2	6	2	4	6	3.8	0.7-1.7	7000	450*350*470	33/35
FM-800-5	DC*27 14#	2	5.3	5	5	6	5.3	0.6-1.3	5500	450*350*470	33/35




## FM-845/875 高速双针平缝机系列(针杆分离)

High-speed Twin Needles Lockstitch Sewing Machine Series (needle Bar Separation)



- 本机具有双针离合式针杆机构，使缝纫拐角、锐角在缝纫时准确方便，机针与送布牙同步送料，可防止缝料滑移，同时具有低噪音、低震动、高效率、高安全性，且送布切换容易，运转顺畅，缝制美观，通过取线弹簧，可自动调节线的松紧。适用于衬衫、裙子、胸罩、大衣等制品的装饰缝制。


- This sewing machine has double needle bar split mechanism, sew corner angle seaming more accurate and convenient, needle and feed dogs parts feeding at the same time. It can prevent sewing material slippage, meanwhile have low noise, low vibration. High efficiency, high security, easily carry cloth and switch. Operate smooth, beautiful seaming and adjustable freely elastic by choose thread spring. It is suitable for decorative stitches and presser side stitches sewing of shirts, bat, blouse, overcoat and so on.



FM-845-1	DPX5 75-100	4	7/13	33.4	★	6.4	★	★	—	★	—	3000	
FM-845-3	DPX5 90-140	5	7/13	33.4	★	6.4	—	★	★	★	—	3000	
FM-845-5	DPX5 90-140	7	7/13	35	★	6.4	—	★	★	—	★	3000	



## FM-842/872高速双针平缝机系列 High-speed Twin Needs Lockstitch Sewing Machine Series






● 由送布牙与机针同时送布，不会出现上下布滑动（吃底）及吃皱等疵点，可以缝纫出两边平行美观的缝迹，通过改进设计及采取其他综合措施，本机操作时噪音和振动明显降低，采用油箱供油方式，可不断地向连动部位供应清洁的润滑油。

● Adopt synchronized feeding of needle and feed dog which prevent slippage between layers of materials. Perform two-row of parallel and fine stitching. Low noise and minimized vibration by improved design and other compound ways. Lubricated by oil tank, which continually lubricates moving parts.

● 该机种适用于缝制各种薄料、中厚料服装，自动加油润滑，针距调节和反缝简捷，是一款性能杰出、经久耐用的平缝机。

● Aircraft type this suitable for, make thin material all kinds of, China thick material clothes, refuel, lubricate automatically, needle distance regulate and sew simple and direct instead, it is a remarkable, long-life and flat seam machine of a kind of performance.




FM-842-1	DPX5 75-100	4	7/13	33.4	★	6.4	★	★	—	★	—	3000	34/37	650X260X605
FM-842-3	DPX5 90-140	5	7/13	33.4	★	6.4	—	★	★	★	—	3000	34/37	650X260X605
FM-842-5	DPX5 90-140	7	7/13	35	★	6.4	—	★	★	—	★	3000	34/37	650X260X605




# FM-500 高速绷缝机系列

## High-speed Interlock Sewing Machine Series




- 此系列备有极为丰富的各种用机种，以适用各种各样的装饰缝。能满足高品质多样化的缝制要求。
- Various machines this line are available to satisfy the various adorns, It can meet high quality and diverse seaming requirements.



专用机种 Model	用途 Application	针数 Nos of needle	针距 (mm) Stitch width (mm)							线数 Tread (支)	针线长 Stitch length (mm)	差动比 Differential	抬压脚量 Presser for loft height (mm)	最高转速 Rotary speed r. p. m	
			2.4	3.2	4.0	4.8	5.6	6.0	6.4						9.5
FM500-01CB	基本缝 Basic model	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3 5	6000
		3	-	-	-	○	●	-	○	-	5				
FM500-02BB	上滚条用 Rolled-edge	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3 5	6000
		3	-	-	-	○	●	-	○	-	5				
FM500-03DB	盖缝用 Cover seaming	2	-	-	-	○	○	-	○	-	4	4.4	0.5-1.3	6.3 5	6000
		3	-	-	-	○	●	-	○	-	5				
FM500-05CB	上花边松紧带用 (带修边器) Elastic lace cord (with edge notcher)	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3 5	5000
		3	-	-	-	-	●	-	○	-	5				
FM500-07BB	双钩针环缝用 Double chain-stitch in two-looper	2	-	-	-	-	●	-	○	-	4	4.4	0.5-1.3	6.3 -	5000
		3	-	-	-	-	-	-	-	-	-				
FM500-08AC	下摆折边用 Bottom folding seam	2	-	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3 5	6000
		3	-	-	-	-	●	-	○	-	5				




## FM-600 高速小方头式绷缝机系列 High-speed Small Flat Bed Inter Lock Sewing Machine Series



- 此系列备有极为丰富的各种用机种，以适用各种各样的装饰缝。  
能满足高品质多样化的缝制要求。

- Various machines this line are available to satisfy the various adorns,  
It can meet high quality and diverse seaming requirements.



专用机种 Model	用途 Application	针数 Nos of needle	针距 (mm) Stitch width (mm)							线数 Tread (支)	针线长 Stitch length (mm)	差动比 Diffrential	抬压脚量 Presser for loft leight (mm)	最高转速 Ratory speed r. p. m	
			2.4	3.2	4.0	4.8	5.6	6.0	6.4						9.5
FM600-01CB	基本缝 Basic model	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3	6000
		3	-	-	-	○	●	-	○	-	5				
FM600-02BB	上滚条用 Rolled-edge	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3	6000
		3	-	-	-	○	●	-	○	-	5				
FM600-03FB	盖缝用 Cover seaming	2	-	-	-	○	○	-	○	-	4	4.4	0.5-1.3	6.3	6000
		3	-	-	-	○	●	-	○	-	5				
FM600-05GB	上花边松紧带用 (带修边器) Elastic lace cord (with edge notcher)	2	○	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3	5000
		3	-	-	-	-	●	-	○	-	5				
FM600-07CB	双钩针环缝用 Double chain-stitch in two-looper	2	-	-	-	-	●	-	○	-	4	4.4	0.5-1.3	6.3	5000
		3	-	-	-	-	-	-	-	-	-				
FM600-08AC	下摆折边用 Bottom folding seam	2	-	○	○	○	○	-	○	-	4	4.4	0.5-1.3	6.3	6000
		3	-	-	-	-	●	-	○	-	5				



# FM-1850/1900 高速电子套结机系列

## High-speed Lockstitch Bartaching Machine Series



- 更高的缝纫速度与产能，采用日本进口的AC伺服马达来直接驱动主轴，最高缝纫速度可达3000rpm。
- Swifter sewing speed, excellent performance. Japan-imported AC servo motor drives main shaft. The highest sewing speed is 3000rpm.
- 更小的噪音分贝提供作者更舒适的操作环境。
- Lower noise creates more comfortable working environment.
- 特殊设计的线张力控制系统。
- Specially-designed tension control.
- 干净无油渍的操作环境。
- Oil-free.
- 电子抓线（ETG）系统。
- Electrical ETG system.





FM-1850	42	1800	8-16	1.5-3	>13	DPX5 16#	★	★	1	780X360X550	
FM-1850-1	21	1800	4-8	1.5-3	>13	DPX5 19#	★	★	1	780X360X550	
FM-1850-2	28	1800	4-8	1.5-2	>13	DPX5 16#	★	★	1	780X360X550	
FM-1900-S	40	2000-2700	0.1-10	20	14-17	DPX5 14#	★	★	1	780X360X550	
FM-1900-H	40	2000-2700	0.1-10	20	14-17	DPX5 19#	★	★	1	780X360X550	
FM-1900-M	20	2000-2700	0.1-10	20	14-17	DPX5 11#	★	★	1	780X360X550	



## FM-373/1377/1373 钉扣机系列 Button Mounting Machine Series



- 适用于衬衫、西装衣裤、工作服等双孔、四孔、立式纽扣的缝制。
  - 轴承传动、机器运行更加平稳、灵活。
  - 双给油设计（底部油棉/底部油池）。
  - 采用抬压脚以及联动切线机构、减少线残量，使得线迹美观。
- Suitable for the making of one pair of holes such as the shirt, suit sweater and pants, work clothes, etc, four holes, vertical buttons.
  - The transmission of the bearing, machine operate more steady, more flexible.
  - Pair gives oil and designs(the oil cotton of the bottom / oil pool of the bottom).
  - Adopt, lift, keep foot and link tangent line organization, reduce line incomplete quantity, make line to be mark esthetic.



FM-373	⊖⊖	TQX1 14#-16#	10-28	1500	8, 16, 32	★	>9	510X350X400	27/25
FM-373N	⊖⊖	TQX1 14#-16#	10-28	1500	8, 16, 32	★	>9	510X350X400	27/25
FM-1377	⊖⊖	TQX1 14#-18#	10-28	1500	8,16,32,6,12,24	★	>9	505X330X420	28.5
FM-1373	⊖⊖	TQX1 14#-18#	10-28	1500	8,16,32,6,12,24	★	>9	505X330X420	28.5












# FM-2284 高速曲折缝纫机系列

## High-speed Zigzag Lockstitch Sewing Machine Series



- 尖端科技，线迹美观，是理想的装饰品缝纫机；操作简便，经久耐用，可更换多种凸轮获取不同的缝纫线迹；适用于内衣、针织、胸饰、内衣裤、手套、鞋帽等行业的薄、中厚料的缝纫。
- High-technique, beautiful stitch, easy operation, long durability. It is an ideal sewing machine for decoration. It has different stitch designs by changing the optional cams. Suitable for sewing light and medium-heavy material of underwear, knitting, bra, trousers, gloves, shoes, caps and so on.

		 mm	 mm				 S.p.m.	 mm
FM-2280	DPX5 9#-14#	2.5mm	5.5/10	6-9mm	33.3	370	5000	660X340X730
FM-2284N	DPX5 10#	2mm	5.5/10	8-10mm	33.3	370	5000	660X340X730





- 适用于各种针织、棉纺、化纤等织物的纽孔缝锁，薄料、中厚料均宜。
- Button holing for ordinary cloth, knitting, etc, it is suitable for light medium and weight materials.



					S.p.m.		mm		mm	Kg	
FM-781	6. 4-19	2. 5-4	6.4,9.5,12.7,19	123 (标准) standard	3600	DPX5 11#-14#	12mm (15/32")	★	745X340X930	58	
FM-782	6. 4-25. 4	2. 5-5	6.4,9.5,12.7,19,25.4	190 (标准) standard	3600	DPX5 11#-14#	12mm (15/32")	★	745X340X930	58	
FM-783	6. 4-31. 7	2. 5-5. 5	6.4,9.5,12.7,19,25.4,31.7	190 (标准) standard	3600	DPX5 11#-14#	12mm (15/32")	★	745X340X930	58	











# FM-8B/341 简型综合送料厚料机系列

## Jane Type Feeder Integrated Feeding Thick Series




- 适用于缝制中厚料，例如纺织品、皮革、聚乙烯、合成物等，适合缝制曲状、弧形开口物品，如垫子、靴子、包、行李袋、手提袋、旅行用品等。
- Suitable for sewing thick material and the thin material, such as textiles, leather, polyethylene, etc., which are suitable for sewing composite curve shape, arc openings items, such as cushion, boots, bags, bag, handbags, traveling articles, etc.

							
FM-8B	1	2800	5	thick	370	7-10	DP*17 22#
FM-8BV	1	2800	5	thick	370	7-10	DP*17 22#
FM-341	1	2000	6	thick	370	10-17	DP*17 22#



# FM-0302/0318上下复合送料厚料平缝机系列

## Fluctuation Compound Feeding Thick Lock-stitch Sewing Machine Series




- 本机采用连杆挑线、大旋梭勾线自动润滑系统，配置上下送料机构和压脚交替提升机构，形成301线迹。缝厚能力强，层缝性能好，采用自动润滑装置，噪音低，使用寿命长，适用于皮革，人造革，帆布，坐垫，沙发，箱包等制品。
- This machine adopts the connecting rod selects the line, big XuanLing cancel automatic lubrication system, the configuration fluctuation conveying mechanism and presser foot alternate hoisting mechanism, the line mark formed 301. Sewing thick ability, layer seam performance is good, adopt the automatic lubrication device, low noise, long service life, to be used in leather, artificial leather, canvas, cushion, sofa, bags products.

FM-0318	○	2000	9.0	二倍线量大旋梭 Big hook	7.0-13	1	DP*17 19#-23#	580*254*530	34.5/29.5	
FM-0302	○	2000	9.0	二倍线量大旋梭 Big hook	7.0-13	1	DP*17 19#-23#	580*254*530	34.5/29.5	



# FM-280B 高速断布裁剪机系列


## High-speed Cutting Cut Cloth Series



- 省钱：裁切整齐，节省物料损耗
- 省时：裁切快速，不必费时对齐
- 省力：操作轻松，提高工作效率是你赚钱的最佳工具
- 全机采用先进设备，高品质材料制造，品质有保障。

- Save money: cutting tidy, save material loss
- Save time: cutting fast, don't time-consuming alignment
- Energy: the operation is easy, improve work efficiency is the best tool to make
- The machine adopts the advanced equipment, high quality materials manufacturing, quality is guaranteed.

### FM-280B零配件



- |           |           |                         |                            |
|-----------|-----------|-------------------------|----------------------------|
| 1. A型架    | 16. 圆刀片   | 1. Type A frame         | 16. Round blade            |
| 2. L型基座   | 17. 导轨护盖  | 2. L base               | 17. Rail guide non-machine |
| 3. 马达壳    | 18. 开关    | 3. Motor shell          | 18. Switch                 |
| 4. 配电箱    | 19. 磨刀石组  | 4. Distribution box     | 19. The grindstone gro     |
| 5. 升降杆座   | 20. 前护片   | 5. Lifting lever block  | 20. Former protect tabl    |
| 6. 刀片护盖   | 21. 长弹簧   | 6. Blade guards         | 21. Long spring            |
| 7. 手柄     | 22. 锁刀螺帽  | 7. Handle               | 22. Lock knife nuts        |
| 8. 计数器    | 23. 下刀    | 8. Counter              | 23. The knife              |
| 9. 转子     | 24. 下刀弹簧  | 9. The rotor            | 24. The knife spring       |
| 10. 手转螺丝  | 25. 短弹簧   | 10. Hand turn the screw | 25. Short spring           |
| 11. 电缆线   | 26. 计数器开关 | 11. Cable               | 26. Counter switch         |
| 12. 升降带   | 27. 滑轮轴组  | 12. Lift belt           | 27. Slide axle group       |
| 13. 布卷固定器 | 28. 碳刷    | 13. Cloth roll holder   | 28. Carbon brush           |
| 14. 蓝轮    | 29. 碳刷盖   | 14. Blue wheel          | 29. Carbon brush cover     |
| 15. 插座    | 30. 下刀组件  | 15. Socket              | 30. The knife componen     |

型號	功率 W	電壓 V	頻率 Hz	裁剪寬度 m	軌迹長度 m	刀片轉速 r/min
FM-280B	180	220	50/60	1.5 1.7 1.9 2.1 2.3 2.5	2.0 2.2 2.4 2.5 2.6 2.8 3.0 3.2	18000



## FM-5B/7B/6B 电动裁剪机系列 Electric Cutting Series



- 本机可与美国伊士曼电剪627X型互通用，适用于棉、毛、麻丝绸、化纤、皮革等厚料裁剪。
- 本机具有集中润滑，切口平直，且能做小曲率半径曲线裁剪，低噪音，运转平稳，操作简便，高效率，自动磨刀，采用大功率电动机等特点，是服装、鞋帽、箱包、汽车饰品、床上用品等行业最理想的裁剪工具。
- This machine can with Eastman 627X model for cotton, wool, linen silk, melt weave, leather thickness material cutting.
- The machine has concentrated lubrication, incision section and do small curvilinear cutting, low noise, smooth operation, easy operation, and high efficiency, automatic sharpening, using powerful motor, and other features, is of clothing, shoes and hats, bags, car accessories, bedding, etc. Ideal cutting tools.
- FM-6B适用于化纤棉、海绵大批量裁剪，是生产厂家的必备工具。
- FM - 6B suitable for chemical fiber, cotton, sponge mass cutting is an essential tool manufacturer.

型號	功率 W	電壓 V	頻率 Hz	裁剪高度 mm				電機轉速 r/min
FM-5B	550	110/220	50/60	110	160	210	260	2800
FM-7B	750	110/220	50/60	160	210	260	285	3450
FM-6B	550	220	50/60	600	750			-



## ***Pasos para hacer una orden:***

- 1) Haga una lista con los números de Items que aparecen debajo de cada modelo.***
- 2) Envíenos esta lista por e-mail: [gerencia@corpoasia.net](mailto:gerencia@corpoasia.net)***
- 3) Espere nuestra lista con los precios y detalles del producto.***
- 4) Escriba una última lista con las cantidades por modelo según su idea de compra y nos envía.***
- 5) Nosotros le haremos una factura pro-forma con los valores exactos de su compra e incluiremos los datos bancarios para que pueda hacer su primer abono.***
- 6) Una vez recibida su transfrecencia se fija la fecha de entrega.***